

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Eureka/Humboldt Bay, CA				
<b>Boomer I (Boom only)</b>			<b>1,200 ft. 20" Harbor Boom</b>	
<b>Recon I</b>			<b>2,000 . 18" Harbor Boom</b>	
	<b>1 Stress III</b>	<b>9,043</b>		<b>1 - Shallow Water Barge (self propelled/400 bbl)</b>
	1 Aard VAC	3,840	2,100 ft. Texa Boom	2 - Shallow Water Barges (non-self propelled/400 bbl)
	1 Desmi Ocean	3,017	2,000 ft. Slickbar	2 - Mini-Barges; 100 bbls TS each, total 200 bbls
	3 Queensboro	2,715	180 ft. 20" Simplex	2 - Shallow Water Push Boats (1 -26'Munson; 1 - 28'
	1 DA Pond Skim	420	5,000 ft. 10" Swamp Bo	2 - 500 bbl towable storage bladders
	1 DOP-250	3,017	2,860 ft. Sea Sentry II	2 - 12' Punts
			2,000 ft. 20" Harbor Bo	1- 24' Small Boat
				1- 57 bbl Fastank
				1 - 59 bbl towable storage bladder
Martinez, CA (Martinez Marina)				
<b>Spill Spoiler I</b>	<b>1 Marco Class II</b>	<b>12,300</b>		<b>90 bbls TS on Spill Spoiler I</b>
<b>Sentinel</b>	<b>1 Marco Class II</b>	<b>6,150</b>		<b>90 bbls TS on Sentinel</b>
<b>Mini Spoiler I</b>	<b>1 Marco Class I</b>	<b>3,588</b>		<b>18 bbls TS on Mini Spoiler I</b>
<b>Mini Spoiler II</b>	<b>1 Marco Class I</b>	<b>3,588</b>		<b>18 bbls TS on Mini Spoiler II</b>
<b>Raider II (38')</b>	2 Mini-Waloseps	596	<b>1,000 ft. 20" Harbor Boom</b>	
<b>Raider IV(38')</b>	6 4" Oil Mop	228	<b>1,000 ft. 20" Harbor Boom</b>	
<b>Munson 1 (21')</b>	1 6" Oil Mop	48	<b>1,800 ft. 10" River Boo</b>	6 - 12' Punts
<b>Munson 2 (21')</b>	2 Oil Hawg	1,372	<b>1,800 ft. 10" River Boo</b>	2 - 57 bbl; 1 - 9 bbl Fast Tanks
	1 Skim Pac	240	1,750 ft. 10" River Boon	1- (12 bbl) Kepner Sea Container
			1,000 ft. 20" Harbor Bo	2 - Shallow Water Push Boats( 2 - 28' Munson)(500ft

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Martinez, CA (Tesoro)			2,500 ft. 43" Expandi 2,183 ft. 18" Harbor Boom 1,950 ft. 28" Parker 500 ft. 16" Fence Boom 200 ft. 6" Swamp Boom 2,000 ft. Qualitech Boom 9,550 ft. 10" Swamp Boom	4 - Mini-Barges; 100 bbls TS each, total 400 bbls
Richmond, CA High Volume Port				
<b>Pacific Responder</b>	<b>1 Transrec 350</b> <b>1 Stress I</b>	<b>10,567</b> <b>15,840</b>	<b>2,640 ft. Sea Sentry II</b>	<b>1 - 4,000 barrel OSRV Storage</b>
<b>Ocean Liberty</b> (Former Clean Bay II)	<b>1 GT-185 w/adap</b> <b>1 Stress I</b>	<b>1,371</b> <b>15,840</b>	<b>2,250 ft. 43" Expandi</b> <b>1,000 ft. 30" Expandi</b> <b>180' ft. 48" Troil Boom</b> <b>150' ft. 60" Troil Boom</b>	<b>2,089 bbls TS on Ocean Liberty</b>
<b>MSRC 451</b> <b>Spill Spoiler II</b> <b>MSRC Spill Chaser</b>	<b>1 Marco Class II</b> <b>2 LORI Brush P</b>	<b>12,300</b> <b>5,000</b>	<b>2000' ft. 18" Harbor B</b> <b>50 ft. Troil Boom</b> <b>1,000 ft. 20" Harbor Boom</b> <b>1,000 ft. 20" Harbor B</b>	<b>1 - 45,000 barrel offshore barge</b> <b>90 bbls of TS on Spill Spoiler II</b> <b>50 bbls TS on MSRC Spill Chaser</b>
<b>Raider I (32')</b> <b>Raider III(32')</b>	1 GT-185 w Adap 1 WP-1 3 Queensboro 2 W-1 1 W-4 1 GT-185 w/adap 3 Destroil 250	1,371 3,017 2,715 3,840 3,562 1,371 6,984	60 ft 18" Simplex 3,300 ft. Sea Sentry II 250 ft. 43" Expandi 9,850 ft. Texa Boom 9,600 ft. Slickbar 7,222 ft. 20" Harbor Bo 1,800 ft. 18" Simplex 800 ft. 18" Harbor Bo 1,500 ft. 20" Simplex 2000' ft. 18" Exxon Boo	1 - Thrustmaster from Crockett- to be refurbished 1 - Shallow Water Barge (non-self propelled@400 bbl) 2 - 3,000 bbl towable storage bladders 15 - 500 bbl towable storage bladders 4 - Shallow Water Barges(non-self Propelled @400 bl) 2 - Shallow Water Push Boats( 2 - 28' Munson) 2 - (35 bbl) Fast Tank 4 - 59 bbl towable storage bladders 1 - 29 bbl towable storage bladder 4 - 57 bbl Fastanks, total 228 bbls 12,100 Gallons Corexit 9527 dispersant

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Crockett, CA <b>74' LCM (Chartered)</b>			<b>8,100 ft. 20" Harbor Boom</b>	
Oakland, CA			1,000 ft. 20" Harbor Boom	
Sacramento, CA	2 Skim Pac	480	2,000 ft. 18" Qualitech B 1,000 ft. 10" Swamp Boom	1 - 18' Workboat
Stockton, CA			1,000 ft. 16" Fence Boom 1,000 ft. 18" Harbor Boom 1,000 ft. 10" Swamp Boom	
Cordelia, CA			500 ft. 16" Fence Boom 500 ft. 6" Swamp Boom	
Sausalito, CA			1,100 ft. 20" Harbor Boom	
San Rafael, CA			756 ft. 20" Harbor Boom	
Pittsburg, CA			1,400 ft. 20" Harbor Boom	
Oyster Point, CA			1,000 ft. 6" Swamp Boom 1,750 ft. 10" Swamp Boom 1,150 ft. 16" Fence Boom	

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Redwood City, CA			1,000 ft. 6" Swamp Boom 1,800 ft. 10" Swamp Boom 1,150 ft. 16" Fence Boom	
Port Hueneme, CA <b>MSRC 320</b>	<b>1 Stress I</b>	<b>15,840</b>	<b>770 ft. Sea Sentry II</b>	<b>1 - 32,000 barrel offshore barge</b>
Terminal Island, CA High Volume Port <b>California Responde</b>	<b>1 Transrec 350</b> <b>1 GT-185</b>	<b>10,567</b> <b>1,371</b>	<b>1,980 ft. Sea Sentry II</b> 400 ft. Reelpack 3,190 ft. Sea Sentry II	<b>1 - 4,000 barrel OSRV Storage</b>
Long Beach, CA Berth 53 & 57 <b>Sea Strike</b>	<b>2 GT-185</b> <b>1 Stress I</b>	<b>2,736</b> <b>15,840</b>	<b>3,650 ft. 43" Expandi</b>	<b>1,267 bbls TS on Sea Strike</b>
<b>Recovery 1</b>	<b>2 Lori Lors</b>	<b>9,908</b>	<b>1,500 ft. 43" Expandi</b>	<b>2,215 bbls on Recovery 1</b>
<b>Recovery 2</b>	<b>2 Lori Lors</b>	<b>9,908</b>	<b>1,500 ft. 43" Expandi</b>	<b>2,215 bbls on Recovery 2</b>
	<b>2 GT-185</b>	<b>2,742</b>	<b>2,000 ft. 20" Harbor Boom</b>	
<b>Response 3</b>	<b>1 Multi-Model 2</b>	<b>2,500</b>		<b>15 bbls on Response 3</b>
<b>Recon 3</b>			<b>1,000 ft. 43" Reelpack</b>	
<b>Recon 4</b>			<b>1,000 ft. 43" Reelpack</b>	
<b>Response 1</b>				
<b>Response 2</b>	1 Komara K-12 1 Queensboro	275 905	60 ft. Simplex 1,980 ft. Sea Sentry II	1 - Shallow Water Barge (non-self propelled/400 bbls 1 - 500 bbl towable storage bladder 2 - 18' Small boats
				10,890 Gallons Corexit 9500 dispersant (EXM)
El Segundo, CA	1 WP-1 1 Walosep W4 2 Queensboro 1 GT-185 w Adap 1 Aard VAC	3,017 3,017 1,810 1,371 3,840	7,700 ft. Sea Sentry II 6,000 ft. Texa Boom  180 ft. Simplex  500 ft. Fire + 400' Guide	3 - Shallow Water Barges (non-self propelled/400 bbl 1 - Lori Barge; 100 bbls TS 2 - 500 bbl towable storage bladders 1 - 3,000 bbl towable storage bladder

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Long Beach, CA (W/H & Yard)	3 GT-185 2 Lori Side Collec 3 Lori Bow Collec 2 W-1	4,104 4,954 7,431 3,840	1,000 ft. 18" Harbor Bo 2,900 ft. 36" Kepner 2,500 ft. 20" Solid Fill B 2,500 ft. 18" Amer Mari 2,900 ft. 43" Expandi  500 ft. Marsh Boom 1,000 ft. 43" Reelpack	Lori Barges (2); 100 bbls on each Lori Barge, total 20 2 - (16'- 22') Small boats 4- 57 bbl Fastanks, total 228 2 - 8 bbl tank 4 - Shallow Water Pushboats (3-28' Munson, 1-26' M 9 - 10 bbl Fastanks, total 90 bbls 605 gallons Corexit 9527 - 2 totes 3,300 Gallons Corexit 9527 dispersant. At Coolidge
Long Beach, CA (Berth 35)			7,000 ft. 43" Amer Marine	
Anaheim Bay, CA			3,800 ft. 36" Amer Marine 1,500 ft. 24" Amer Marine 2,000 ft. 10" Solid Boom 3,075 ft. Marsh Boom	
Los Angeles Harbor, CA (Berth 151)			2,400 ft. 36" Solid Fill	
Alamitos Bay, CA			800 ft. 24" Amer Marine	
LB Fire Boat Sta #15			1,200 ft. 24" Amer Marine	
LB Fire Boat Sta #20			1,200 ft. 24" Amer Marine	
Platform Edith (offshore)			1,500 ft. 43" Expandi	
Platform Elly/Ellen (offshore)			750 ft. 43" Expandi	
Platform Eva (offshore)			1,500 ft. 43" Expandi	
Platform Esther (offshore)			1,500 ft. 43" Expandi	
Platform Emmy (offshore)			750 ft. 43" Expandi	

Location	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats
San Diego, CA <b>Recon 2</b>	<b>1 Stress III</b>	<b>9,043</b>	<b>2,000 18' Amer Marine</b>	<b>1 - Shallow Water Barge (self propelled/400 bbl)</b>
	1 Walosep WM	336	1,900 ft. Qualitech Boom	1 - Shallow Water Barge (non-self propelled/400 bbl)
	1 Desmi Terminator	3,017	120 ft. Simplex	1 - 500 bbl towable storage bladder
	1 Queensboro	905	5,600 ft. 24" Amer Marine	1 - 21' Small boat; 7 bbls storage
			2,000 Texa Boom	1 - Shallow Water Push Boat (28' Munson)
	1 iT-185 w Adapt	1,371		4 - 57 bbl Fastanks, total, 228 bbls
Total Equipment	80 Skimmers	244,654	##### Feet	2 - Responder Class OSRVs with a total of 8,000 bbls 12 - Smaller OSRVs with a total of 8,287 bbls storage 1 - FRV with 50 bbls storage 2 - Offshore Barges with 77,000 bbls storage 11 - Shallow Water Barges (non-self propelled) (4,400 bbls storage) 3 - Shallow Water Barges (self propelled) (1,200 bbls storage) 12 - Shallow Water Push Boats 24 - Towable Storage Bladders (19,500 bbls storage) 6 - Mini Towable Storage Bladders (324 bbls storage) 12 - Tanks/Seabags (472 bbls storage) 7 - Small skimming vessels 9 - Small barges (900 bbls storage)

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Portland, ME <b>Maine Responder MSRC 620</b>	<b>1 Transrec 350 1 Stress I</b>	<b>10,567 15,840</b>	<b>1,320 ft. Sea Sentry II</b>	<b>1 - 4,000 barrel OSRV Storage 1 - 62,000 barrel offshore barge</b>
Casco Bay Responder	1 WP-1	3,017	5,500 ft. Sea Sentry II	1 - Shallow Water Barge (self propelled/400 bbl)
Bigelow Bight Responder	1 Desmi 250	2,112	1,000 ft. Texa Boom	1 - 500 bbl towable storage bladder
	1 Elastec Drum	288	1,700 ft. Slickbar	2 - 100 bbl Towable Storage Barges
	1 Ro-Clean OM 1	362	500 ft. Fire + 400' Guide	1 - 200 bbl Towable Storage Barge
	1 Skim-Pack 180	2,054	220 ft. Sea Sentry (11-1	2 - 10 bbl Fastanks
	1 Komara 12K	362	60 ft. Mark II Boom	1 - 50 bbl Fastank
	1 Komara 30K	905	1,200 ft. 38" Carolina Boom	2 - 55 bbl Fastanks
	2 Lori side collector	2,714	2,600 ft. 27" Carolina Boom	1 - Lancer TSB
	1 Sea Devil	2,290	1,750 ft. 38" Amer B & B	3 - Work boats
	1 GT-185 w Ada	1,371	3,050 ft. 27" Amer Mar Boom	
			3,200 ft. 19" Harbor Boom	330 Gallons Corexit 9527 - 1 tote
Boston, MA High Volume Port	1 Desmi Ocean 1 Queensboro	3,017 905	1,320 ft. Sea Sentry II 1,000 ft. Texa Boom 60 ft. Mark II Boom 2,000 ft. Slickbar	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Providence, RI	1 GT-185 w Ada	1,371	4,620 ft. Sea Sentry II 1,000 ft. Texa Boom 60 ft. Mark II Boom 1,900 ft. Slickbar	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Edison/Perth Amboy, NJ <b>New Jersey Responder MSRC 520</b>	<b>1 Transrec 350 1 Stress I</b>	<b>10,567 15,840</b>	<b>1,320 ft. Sea Sentry II</b>	<b>1 - 4,000 barrel OSRV Storage 1 - 52,000 barrel offshore barge</b>
High Volume Port	1 Desmi Ocean	3,017	5,500 ft. Sea Sentry II	1 - Shallow Water Barges (self propelled/400 bbl)
	1 AardVAC	3,840	1,800 ft. Texa Boom	1 - Shallow Water Push Boat (28' Munson)
	1 GT-185 w Ada	1,371	990 ft. Sea Sentry (20-3	2 - 500 bbl towable storage bladders
	1 Skim-Pak	548	770 ft. Sea Sentry (11-1	3 - 10 bbl Fastanks
	1 Walosep W4	3,017	500 ft. Fire + 400' Guide	9 - 55 bbl Fastank
			120 ft. Mark II Boom	330 Gallons Corexit 9527 dispersant
Bayonne, NJ	1 GT-185 w Ada	1,371	60 ft. Mark II Boom	1 - Shallow Water Barge (non-self propelled/400 bbl)
Chesapeake City, MD Delaware Responder	1 Transrec 350	10,567	1,320 ft. Sea Sentry II	1 - 4,000 barrel OSRV Storage

Location	Effective Daily Recovery Capacity			Boom	Storage, SBS, Small Boats
	Skimmers	BBL/Day			
MSRC 401 High Volume Port	<b>1 Stress I</b>	<b>15,840</b>			<b>1 - 40,000 barrel offshore barge</b>
	1 Walosep W4	3,017	5,500 ft. Sea Sentry II		2 - Shallow Water Barge (non-self propelled/400 bbl)
	1 Skim-Pak	548	1,000 ft. Texa Boom		2 - Shallow Water Push Boats (1-28' Munson)
	1 Queensboro	905	1,060 ft. Slickbar		9,460 Gallons Corexit 9527 dispersant
	1 GT-185 w Ada	1,371	500 ft. Fire + 400' Guide		
			120 ft. Mark II Boom		330 Gallons Corexit 9527 dispersant - 1 tote(DBRC S

Location	Effective Daily Recovery Capacity		Boom	Storage, SBS, Small Boats
	Skimmers	BBL/Day		
Baltimore, MD	1 GT-185 w Ada	1,371	1,965 ft. Slickbar 60 ft. Mark II Boom	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Virginia Beach, VA <b>Virginia Responder MSRC 680</b>	<b>1 Transrec 350</b> <b>1 Stress I</b> 1 AardVAC 1 GT-185 w Ada	<b>10,567</b> <b>15,840</b> 3,840 1,371	<b>1,320 ft. Sea Sentry II</b> 4,840 ft. Sea Sentry II 3,000 ft. Texa Boom 2,860 ft. Slickbar 60 ft. Mark II Boom	<b>1 - 4,000 barrel OSRV Storage</b> <b>1 - 68,000 barrel offshore barge</b> 1 - Shallow Water Barge (self propelled/400 bbl) 1 - 500 bbl towable storage bladder 2 - 10 bbl Fastanks 330 Gallons Corexit 9527 dispersant 2 - 55 bbl Fastank
Yorktown, VA	1 GT-185 w Ada	1,371	60 ft. Mark II Boom	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Savannah, GA <b>MSRC 350 MSRC Relentless</b>	<b>1 Transrec 350</b> <b>1 LORI Brush P</b> 2 Walosep W4 1 Stress I 1 Skim-Pak 2 GT-185 w Ada	<b>10,567</b> <b>5,000</b> 6,034 15,840 548 2,742	<b>1,320 ft. Sea Sentry II</b> 8,140 ft. Sea Sentry II 1,940 ft. Slickbar 1,000 ft. Texa Boom 120 ft. Mark II Boom	<b>1 - 35,000 barrel offshore barge</b> <b>1 - 50 barrel FRV Storage. 1-100 barrel Towable S</b> 1 - 3,000 bbl towable storage bladder 2 - Shallow Water Barge (non-self propelled/400 bbl) 2 - Shallow Water Push Boats (1 -28' Munson; 1-26' ) 12 - 500 bbl towable storage bladders 1 - 10 bbl Fastanks 1 - 55 bbl Fastank
Jacksonville, FL	1 GT-185 w Ada	1,371	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson)
Miami, FL <b>Florida Responder</b>	<b>1 Transrec 350</b> 1 WP 1 1 Desmi Ocean 1 Walosep 4 1 Stress I 2 AardVac 1 GT-185 w Ada	<b>10,567</b> 3,017 3,017 3,017 15,840 7,680 1,371	<b>1,980 ft. Sea Sentry II</b> 7,700 ft. Sea Sentry II 2,900 ft. Slickbar 500 ft. Fire + 400' Guide 50 ft. OK Corral 2,000 ft. Quali-tech	<b>1 - 4,000 barrel OSRV Storage</b> 1 - Shallow Water Barge (self propelled/400 bbl) 8 - 500 bbl towable storage bladders 850 Gallons Corexit 9527 dispersant - 2 totes
St. Croix, VI <b>MSRC 381</b> High Volume Port	<b>1 Stress I</b> 1 AardVac 1 Stress I	<b>15,840</b> 3,840 15,840	<b>1,980 ft. Sea Sentry II</b> 10,340 ft. Sea Sentry II 5,940 ft. Slickbar	<b>1 - 38,000 barrel offshore barge</b> 2 - Shallow Water Barges (self propelled/400 bbl ea) 4 - 500 bbl towable storage bladders

## MSRC's Major Equipment - Atlantic/Gulf Region-Atlantic Area

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
	1 Queensboro 1 GT-185 w Ada	905 1,371	500 ft. Fire + 400' Guide 100 ft. Quali-tech	
Ponce, Puerto Rico	1 Desmi Ocean 2 Queensboro	3,017 1,810	2,100 ft. Slickbar 100 ft. Quali-tech	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Barge (self-propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
San Juan, Puerto Rico <b>MSRC Brisa Rapid</b>	<b>1 LORI Brush F</b> 1 Queensboro 1 Stress II	<b>5,000</b> 905 3,017	4,100 ft. Slickbar 50 ft. Quali-tech	<b>1 - 50 barrel FRV Storage</b> 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson) 1 - 100 bbl towable storage bladder 900 Gallons Corexit 9527 dispersant - 3 totes
Yabacoa, Puerto Rico	1 Foilex 200 1 Queensboro	1,989 905	7,365 ft. Slickbar 50 ft. Quali-tech	1 - Shallow Water Barges (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Total Equipment	# Skimmers	294,404	##### Feet	4 - Responder Class OSRVs with a total of 16,000 bb 2 - Smaller OSRVs 2 - FRV's with a total of 50 bbls storage each 5 - Offshore Barges with 257,000 bbls storage 9 - Shallow Water Barges (non-self propelled) (3,200 3 - Shallow Water Barges (self propelled) (1,200 bbls 3 - Towable Storage Barges (non-self propelled) (400 9 - Shallow Water Push Boats 18 - Towable Storage Bladders (11,100 bbls storage) 3 - Work Boats 23 - Fastanks (900 bbls)

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Memphis, TN	1 Queensboro	905	60 ft. Mark II	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Roxana, IL	1 GT-185 w Ada	1,371	60 ft. Mark II	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Toledo, OH	1 Queensboro	905	60 ft. Mark II	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Whiting, IN	1 Queensboro	905	60 ft. Mark II	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Total Equipment	4 Skimmers	4,086	240 Feet	4 - Shallow Water Barges (non-self propelled) (1,600 4 - Shallow Water Push Boats

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Ingleside, TX <b>Southern Responder</b> <b>MSRC 403</b> <b>MSRC Quick Strike</b> High Volume Port	<b>1 Transrec 350</b> <b>1 Stress I</b> <b>1 LORI Brush P</b> 1 WP 1 1 Vikoma 3 Weir 1 GT-185 w Adap 1 Foilex 250	<b>10,567</b> <b>15,840</b> <b>5,000</b> 3,017 5,657 1,371 3,977	<b>1,980 ft. Sea Sentry II</b>  4,620 ft. Sea Sentry II 900 ft. Slickbar 500 ft. Texa Boom 1,216 ft. Vikoma 3 Weir 50 ft. OK Corral 1,350 ft. 44" Amer B&B 430 ft. Oil Stop 2,050 ft. Flexy-Pimac	<b>1 - 4,000 barrel OSRV Storage</b> <b>1 - 40,300 barrel offshore barge</b> <b>1 - 50 barrel FRV Storage</b> 1 - Shallow Water Barge (self propelled/400 bbl)        300 Gallons Corexit 9527 dispersant - 1 tote
Galveston, TX <b>Texas Responder</b> <b>MSRC 570</b> High Volume Port	<b>1 Transrec 350</b> <b>1 Stress I</b> 2 GT-185 w Adap 1 Walosep 4 1 Queensboro 1 Foilex 250	<b>10,567</b> <b>15,840</b> 2,742 3,017 905 3,977	<b>1,980 ft. Sea Sentry II</b>  5,610 ft. Sea Sentry II 1,000 ft. Slickbar 500 ft. Texa Boom 500 ft. Fire Boom 50 ft. OK Corral 100 ft. Quali-tech	<b>1 - 4,000 barrel OSRV Storage</b> <b>1 - 56,900 barrel offshore barge</b> 3 - Shallow Water Barges (non-self propelled/400 bbl) 3 - Shallow Water Push Boats (3-28' Munsons)    500 Gallons Corexit 9527 dispersant - 2 totes(GLO) 850 Gallons Corexit 9527 dispersant - 2 totes
Port Arthur, TX High Volume Port	1 GT-185 w Adap	1,371	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Lake Charles, LA <b>Gulf Coast Responder</b> High Volume Port	<b>1 Transrec 350</b> 1 Desmi Ocean 1 Stress I 4 Queensboro 1 Foilex 250	<b>10,567</b> 3,017 15,840 3,620 3,977	<b>1,980 ft Sea Sentry II</b> 7,449 ft Sea Sentry II 1,000 ft. Slickbar 400 ft. Texa Boom 100 ft. OK Corral 9,400 ft. 18" Amer B& 100 ft. Quali-tech	<b>1 - 4,000 barrel OSRV Storage</b> 16 - 500 bbl towable storage bladders 1 - 3,000 bbl towable storage bladder 1 - Shallow Water Barge (self propelled/400 bbl) 3 - Shallow Water Barges (non-self propelled/400 bbl) 3 - Shallow Water Push Boats (3-28' Munsons)  18,480 Gallons Corexit 9500 dispersant 850 Gallons Corexit 9527 dispersant - 2 totes

Location	Effective Daily Recovery Capacity		Boom	Storage, SBS, Small Boats
	Skimmers	BBL/Day		
Houma, LA	1 Queensboro	905	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boats (1-28' Munson)

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Fort Jackson/Belle Chase, LA				
<b>Louisiana Responder</b>	1 Transrec 350	<b>10,567</b>	<b>1,980 ft. Sea Sentry II</b>	<b>1 - 4,000 barrel OSRV Storage</b>
<b>MSRC 452</b>	1 Stress I	<b>15,840</b>		<b>1 - 45,000 barrel offshore barge</b>
High Volume Port	1 GT-185 w Adap	1,371	3,300 ft. Sea Sentry II	1 - Shallow Water Barge (non-self propelled/400 bbl)
	1 Desmi Ocean	3,017	1,000 ft. Slickbar	1 - Shallow Water Push Boat (1-28' Munson)
	1 Foilex 250	3,977	50 ft. OK Corral	1 - 3,000 bbl towable storage bladder
	1 Foilex 200	1,989		
	1 Walosep W4	3,017		850 Gallons Corexit 9527 dispersant - 2 totes
Baton Rouge, LA				
	1 GT-185 w Adap	1,371	50 ft. OK Corral	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (28' Munson)
Pascagoula, MS				
<b>Mississippi Responder</b>	1 Transrec 350	<b>10,567</b>	<b>1,980 ft. Sea Sentry II</b>	<b>1 - 4,000 barrel OSRV Storage</b>
<b>MSRC 402</b>	1 Stress I	<b>15,840</b>		<b>1 - 40,300 barrel offshore barge</b>
High Volume Port	1 Stress II	<b>3,017</b>		
	1 GT-185 w Adap	1,371	4,495 ft. Sea Sentry II	1 - Shallow Water Barge (non-self propelled/400 bbl)
	1 WP 1	3,017	500 ft. Fire Boom	1 - Shallow Water Barge (self propelled/400 bbl)
	1 Queensboro	905	1,450 ft. Texa Boom	1 - Shallow Water Push Boat (1-28' Munson)
	1 AardVac	3,840	50 ft. OK Corral	22,638 Gallons Corexit 9527 dispersant at Stennis, MS
			4,000 ft. Quali-tech	4,585 Gallons Corexit 9500 dispersant at Stennis, MS
			2,000 ft. Flexy-Pimac	
			900 ft. Amer B&B	
			5,700 ft. 24" Amer Marine	
Tampa, FL				
<b>MSRC 360</b>	1 Stress I	<b>15,840</b>	<b>1,540 ft. Sea Sentry II</b>	<b>1 - 36,000 barrel offshore barge</b>
<b>MSRC Lightning</b>	1 LORI Brush P	<b>5,000</b>		<b>1 - 50 barrel FRV Storage</b>
	1 GT-185 w Adap	1,371	2,000 ft. Texa Boom	1 - Shallow Water Barge (non-self propelled/400 bbl)
	1 WP 1	3,017	50 ft. OK Corral	1 - Shallow Water Push Boat (28' Munson)
			2,200 ft. Slickbar	2 - 500 bbl towable storage bladders
Total Equipment	43 Skimmers	226,708	##### Feet	6 - Responder Class OSRVs with a total of 24,000 bbl 3 - FRV with a total of 150 bbls storage 6 - Offshore Barges with 256,500 bbls storage 16 - Shallow Water Barges (non-self propelled) (6,400 bbl) 7 - Shallow Water Barges (self propelled) (2,800 bbls)

Location	Skimmers	Effective Daily Recovery Capacity BBL/Day	Boom	Storage, SBS, Small Boats 22 - Shallow Water Push Boats 33 - Towable Storage Bladders (21,100 bbls storage)
----------	----------	---	------	---

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Everett, WA				
<b>RV Peregrine</b>	<b>1 Marco 1' Belt</b>	<b>3,588</b>		<b>28 barrels TS on RV Peregrine</b>
<b>RV Merlin</b>	<b>1 Marco 1' Belt</b>	<b>3,588</b>		<b>28 barrels TS on RV Merlin</b>
	1 Walosep W4	3,017	6,600 ft. Sea Sentry II	4 - 500 bbl towable storage bladders
	1 WP-1	3,017	3,650 ft. Texa Boom	2 - 14 barrel ea portable tanks; total 28 barrels
	1 Vikoma 3 Wei	5,657	4,000 ft. Slickbar	2 - 24 barrel ea portable tanks; total 48 barrels
	1 Sea Wolf	3,017	1,216 ft. Vikoma 3 We	3 - 8 barrel portable storage tank
	1 Aard VAC	3,840	60 ft. Simplex	1 - 7 barrel portable storage tank
	2 Slickbar Slurp	110	1,300 ft. 43" Expandi	1 Work Boat (18')
	2 Lori Brush	7,324	2,600 ft. 6" Acme boom	7,705 Gallons Corexit 9527 dispersant
	3 DOP-250	9,051		
	1 Desmi DOP 25	2,057		
	2 OMI Rope	96		
	1 Aqua Guard R	360		
	1 Poscon 150	754		
	1 Morris MI 30	987		
Anacortes, WA				
<b>RV Royal Tern</b>	<b>1 JBF Belt 5001</b>	<b>6,000</b>		<b>276 barrels TS on RV Royal Tern</b>
<b>RV Aleution Tern</b>	<b>1 Marco 3' Belt</b>	<b>10,764</b>		<b>67 barrels TS on RV Aleution Tern</b>
	1 Queensboro	905	60 ft. Simplex	1 - Shallow Water Barge (self propelled/400 bbl)
			5,500 ft. 20" Kepner	2 - 110 barrel TS ea Rigid Dracones; total 220 barrels
			8,160 ft. 30" Acme	4 Work Boats (14' - 42')
			4,500 ft. 20" Acme	
			2,900 ft. 18" Acme boom	
Blaine, WA				
			4,000 ft. 30" Acme	
			3,200 ft. 18" Acme boom	
Bellingham, WA				
<b>RV Western Gull</b>	<b>1 JBF Belt 5001</b>	<b>6,000</b>		<b>286 barrels TS on RV Western Gull</b>
<b>RV Heron</b>	<b>1 Morris Disc</b>	<b>206</b>	<b>400 ft. 20" Kepner</b>	<b>7 barrels TS on RV Heron</b>
<b>RV Grebe</b>	<b>1 Marco 1' Belt</b>	<b>3,588</b>	<b>600 ft. 20" Kepner</b>	<b>30 barrels TS on RV Grebe</b>
<b>Pelican</b>	<b>1 Destroil 150</b>	<b>754</b>	<b>1,000 ft. 18" Acme bo</b>	<b>1 - 11,900 barrel OSRB</b>
	1 Queensboro	905	60 ft. Simplex	1 - Shallow Water Barge (non-self propelled/400 bbl)
			4,000 ft. 20" Kepner	1 - Shallow Water Push Boat (26' Munson)
				2 - 8 barrel ea portable storage tanks; total 16 barrels
				2 Work Boats (14' - 42')

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Ferndale, WA			4,000 ft. 30" Acme 2,000 ft. Slickbar	6,430 Gallons Corexit 9527 dispersant
Pt. Wells, WA			2,000 ft. 42" Ocean boom 2,640 ft. Sea Sentry II 2,000 ft. 30" Acme	
Seattle, WA (HVP) RV Cormorant RV Widgeon High Volume Port	2 Marco 3' Belt 1 Marco 1' Belt	21,540 3,588	600 ft. 20" Kepner 1,500 ft. 20" Kepner 3,500 ft. 18" Acme boom	90 barrels TS on RV Cormorant 30 barrels TS on RV Widgeon 2 Work Boats (14' - 36')
Tacoma, WA RV Plover RV Sandpiper RV Brant Ibis	1 Marco 3' Belt 1 Marco 3' Belt 1 Lori Brush  1 Queensboro	10,764 10,764 4,896  905	1,000 ft. 18" Acme boom 2,500 ft. 20" Kepner 4,000 ft. 12" Acme boom  60 ft. Simplex 4,000 ft. 30" Acme	67 barrels TS on RV Plover 3.5 barrels TS on RV Sandpiper 8 barrels TS on RV Brant 1 - 21,403 barrel OSRB 1 - 100 barrel mini OSRB 1 - 7 barrel portable storage tank 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (1-28' Munson) 4 Work Boats (14' - 36')
Port Angeles, WA W. C. Park Respon  MSRC 380 RV Shearwater Kittiwake RV Pintail RV Auklet	1 Transrec 350 1 Desmi Ocean  2 JBF Belt 6001 1 Drestroil 250 1 Lori LBC Bru 1 Marco 1' Belt  1 Morris Disc 1 GT-185 w Ada 1 Aqua Guard R	10,567 3,017  24,000 2914 2,592 3,588  206 1,371 360	2,640 ft. Sea Sentry II  800 ft. 30" Acme 2700 ft. 18" Acme boom 200 ft. 30" Versatec  3,960 ft. Sea Sentry II 2,000 ft. Texa Boom 2,000 ft. Slickbar 500 ft. Fire + 400' Gu 60 ft. Simplex 3,200 ft. 30" Acme 3,300 ft. 20" Kepner 500 ft. 3-M Fire boom 1,000 ft. Qualitech Boom	1 - 4,000 barrel OSRV Storage  1 - 38,000 barrel offshore barge 1,376 barrels TS on RV Shearwater 1 - 23,400 barrel offshore barge 7 barrels TS on RV Pintail 3 barrels TS on RV Auklet  1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (26' Munson) 1 - Utility Work Boat (34' Munson) 4 - 7 barrel portable storage tanks; total 28 barrels 6 Work Boats (14' - 38')

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Neah Bay, WA <b>RV Arctic Tern</b>	<b>1 JBF Belt 5001</b> <b>1 Stress I</b>	<b>6,000</b> <b>15,840</b>		<b>276 barrels TS on RV Arctic Tern</b>
			2,000 ft. 42" Kepner 2,000 ft. 42" American 3,000 ft. 18" Qualitech 500 ft. 20" Acme 1,500 ft. 20" Kepner	1 Work boat (14' - 38')
Astoria, OR <b>Oregon Responder</b> <b>MSRC 404</b>	<b>1 Transrec 350</b> <b>1 Stress I</b> 1 Vikoma 3 Weir 1 Aard VAC 1 Walosep W4 1 Desmi Ocean 2 DOP-250 1 GT-185 w ada	<b>10,567</b> <b>15,840</b> 5,657 3,840 3,017 3,017 6,034 1,371	<b>2,655 ft. Sea Sentry II</b> 6,585 ft. Sea Sentry II 2,000 ft. Texa Boom 2,000 ft. Slickbar 1,216 ft. Vikoma 3 Weir 60 ft. Simplex 2,600 ft. 20" Kepner	<b>1 - 4,000 barrel OSRV Storage</b> <b>1 - 40,000 barrel offshore barge</b> 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (1-28' Munson)
Portland, OR <b>RV Curlew</b>	<b>1 Marco 1' Belt</b> 1 Queensboro	<b>3,588</b> 905	2,000 ft. Slickbar 60 ft. Simplex	<b>3 barrels TS on RV Curlew</b> 1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (1-28' Munson)
Coos Bay, OR	1 Stress I 1 GT-185 w Ada	15,840 1,371	60 ft. Simplex	1 - Shallow Water Barge (non-self propelled/400 bbl) 1 - Shallow Water Push Boat (1-28' Munson)
Honolulu, HI <b>Hawaii Responder</b> <b>MSRC 400</b>	<b>1 Transrec 350</b> <b>1 Stress I</b> 1 Vikoma 3 Weir 1 GT-185 w Ada 1 DOP-250 3 Queensboro 2 Walosep W4	<b>10,567</b> <b>15,840</b> 5,657 1,371 3,017 2,715 6,034	<b>3,850 ft. Sea Sentry II</b> 7,260 ft. Sea Sentry II 2,000 ft. Texa Boom 8,000 ft. Slickbar 1,216 ft. Vikoma 3 Weir 500 ft. Fire + 400' Guide 350 ft. Qualitech Bod	<b>1 - 4,000 barrel OSRV Storage</b> <b>1 - 40,000 barrel offshore barge</b> 2 - Shallow Water Barge (non-self propelled/400 bbl) 2 - Shallow Water Barge (self-propelled/400 bbl) 2 - Shallow Water Push Boats (2-28' Munsons) 4 - 500 bbl towable storage bladders 600 Gallons Corexit 9527 - 2 totes

Effective Daily  
Recovery Capacity

Location	Skimmers	BBL/Day	Boom	Storage, SBS, Small Boats
Hilo, HI	1 Desmi Ocean 4 Queensboro	3,017 3,620	1,980 ft. Sea Sentry II 2,000 ft. Slickbar 400 ft. Qualitech Boc 3,000 ft. 20" Simplex E	3 - Shallow Water Barges (non-self propelled/400 bbl) 1 - Shallow Water Barge (self-propelled/400 bbl) 3 - Shallow Water Push Boats (3-28' Munsons) 2 - 500 bbl towable storage bladders 1 - 3,000 bbl towable storage bladder 1 - (57 bbl) Fast Tank
Total Equipment	75 Skimmers	321,382	##### Feet	3 - Responder Class OSRVs with a total of 12,000 bbl 17 - Smaller OSRVs with a total of 2,596 bbls storage 6 - Offshore Barges with 174,703 bbls storage 1 - Small OSRB with 100 bbls storage 11 - Shallow Water Barges (non-self propelled) (4,400 bbls storage) 4 - Shallow Water Barges (self propelled) (1,200 bbls storage) 11 - Shallow Water Push Boats 11 - Towable Storage Bladders (8,000 bbls storage) 15 - Storage Tanks/Bladders (364 bbls storage) 18 - Work Boats